

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	162761	((("not" adj homogeneous) or heterogeneous or incongruous or different) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:27
L2	528	L1 and (module and ((sub adj module) or submodule or sub-module))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:16
L3	9	I2 and (tree near (structure or format\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:15
L4	37	L1 same (module and ((sub adj module) or submodule or sub-module))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:26
L5	2	I4 and (tree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:19
L6	16	I4 and (array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:19
L8	66	heterogeneous near memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:21
L9	0	I7 same I8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:21

EAST Search History

L10	0	l7 and l8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:21
L11	2443	(tree adj ((data adj structure) or data-structure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:22
L12	10	l11 same l1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:24
L13	10285	l1 same (register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:24
L14	85	l13 and l11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:24
L15	249	l1 same (register near (propert\$3 or characteristic or content or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:28
L16	0	l15 and l11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:25
L17	5	l15 and (module and ((sub adj module) or submodule or sub-module))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:26

EAST Search History

L18	12163	(module and (sub-module or submodule)) or (block and (sub-block or subblock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:27
L19	162761	((("not" adj homogeneous) or heterogeneous or incongruous or different) with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:27
L20	1910	l18 and l19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:28
L21	266	l20 and (register near (propert\$3 or characteristic or content or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:36
L22	3	(stor\$3 or record\$3 or sav\$3) same (register near propert\$3) same (structure or format or characteristic) same (tree or (block with sub-block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:38
L23	7	(stor\$3 or record\$3 or sav\$3) same (register near (propert\$3 or format or characteristic)) same (tree or (block with sub-block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 06:38

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Fri, 28 Sep 2007, 7:23:10 AM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

		Results
<u>#1</u>	(((tree or hierarchy) and (register or asic or fpga) and test and (module or block))<and>((vector or matrix or array) and (data or property or information)<in>metadata))<AND>((memory)<in>metadata))	546
<u>#2</u>	((((tree or hierarchy) and (register or asic or fpga) and test and (module or block))<and>((vector or matrix or array) and (data or property or information)<in>metadata))<and>((memory)<in>metadata))<AND>((hardware)<in>metadata))	153
<u>#3</u>	((((tree or hierarchy) and (register or asic or fpga) and test and (module or block))<and>((vector or matrix or array) and (data or property or information)<in>metadata))<and>((memory)<in>metadata))<AND>((hardware)<in>metadata))	153
<u>#4</u>	(((tree or hierarchy) and (register or asic or fpga) and test and (module or block))<and>((vector or matrix or array) and (data or property or information)<in>metadata))<AND>((memory)<in>metadata))	546
<u>#5</u>	(((tree or hierarchy) and (register or asic or fpga) and test and (module or block))<AND>((vector or matrix or array) and (data or property or information)<in>metadata))	2670
<u>#6</u>	(((tree or hierarchy) and (register or asic or fpga) and test and (module or block))<AND>((block or module) and (sub-block or sub-module)<in>metadata))	5
<u>#7</u>	(tree or hierarchy) and (register or asic or fpga) and test and (module or block)	9547
<u>#8</u>	((((tree or hierarchy) and (register or asic or fpga) and test and (module or block))<and>((vector or matrix or array) and (data or property or information)<in>metadata))<and>((memory)<in>metadata))<AND>((hardware)<in>metadata))	153

Interference

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L26	2138	((memory or register) with (tree or hierarchy or hierarchical) with (data or information or property or characteristic or attribute)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 07:26
L27	1359	((stor\$3 or sav\$ or retriev\$3 or hold\$3) with (memory or register) with (tree or hierarchy or hierarchical) with (data or information or property or characteristic or attribute)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 07:26
L28	30	((stor\$3 or sav\$ or retriev\$3 or hold\$3) with (register) with (tree or hierarchy or hierarchical) with (data or information or property or characteristic or attribute) with memory).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 07:28
L29	0	((stor\$3 or sav\$ or retriev\$3 or hold\$3) with (register near propert\$3) with (tree or hierarchy or hierarchical) with (data or information or property or characteristic or attribute)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 07:29
L30	17	((stor\$3 or sav\$ or retriev\$3 or hold\$3) with (tree or hierarchy or hierarchical) with (register near (data or information or property or characteristic or attribute))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 07:29